

```
- <smSmartMessageStylesheet xmlns="x-
  schema:http://www.devpost.com/schemas/def/smsstylesheetschema1.1.xdr"
  smartmessage-stylesheet-class="http://www.devpost.com/" smartmessage-
  stylesheet-version="definitions/centerpostdef2.xml">
- <activity-class activity-name="Web Post" activity-duration="hours" event-
  frequency="once">
  <activity-payload-schema />
- <activity-xsl-default>
  <xsl_default:stylesheet xmlns="http://www.w3.org/TR/REC-html40"
    xmlns:xsl_default="http://www.w3.org/TR/WD-xsl" />
  </activity-xsl-default>
- <activity-xsl-endpoint endpoint-type="browser">
  <xsl_default:stylesheet xmlns="http://www.w3.org/TR/REC-html40"
    xmlns:xsl_default="http://www.w3.org/TR/WD-xsl" />
  </activity-xsl-endpoint>
- <event-class event-name="Emergency Reach" content="fyi"
  sensitivity="private" reach="individual" immediacy="minutes"
  expiration="minutes" frequency="once" context="personal">
- <event-payload-schema>
  - <Schema name="payloadschema.xdr" xmlns="urn:schemas-
    microsoft-com:xml-data" xmlns:dt="urn:schemas-microsoft-
    com:datatypes">
    - <ElementType name="Emergency" content="eltOnly" order="seq">
      <element type="from" />
      <element type="emergencySummary" />
      <element type="emergencyDetail" />
      <element type="ContactName" />
      <element type="ContactInfo" />
    </ElementType>
    <ElementType name="from" content="textOnly" />
    <ElementType name="emergencySummary" content="textOnly" />
    <ElementType name="emergencyDetail" content="textOnly" />
    <ElementType name="ContactName" content="textOnly" />
    <ElementType name="ContactInfo" content="textOnly" />
  </Schema>
  </event-payload-schema>
- <event-xsl-default>
  - <xsl_default:stylesheet xmlns="http://www.w3.org/TR/REC-html40"
    xmlns:xsl_default="http://www.w3.org/TR/WD-xsl">
  - <xsl_default:template match="/">
    <xsl_default:apply-templates select="EmergencyReach" />
  </xsl_default:template>
  - <xsl_default:template match="EmergencyReach">
    This is an Emergency Reach Centerpost SmartMessage!
    From:
    <xsl_default:value-of select="from" />
    Contact:
    <xsl_default:value-of select="ContactName" />
    Contact Information:
    <xsl_default:value-of select="ContactInfo" />
    Emergency Summary:
    <xsl_default:value-of select="emergencySummary" />
```

Figure 7B-1

(More details may have be included in your folio) send a
SmartMessage at: <http://www.centerpost.com/Post/>

```
</xsl_default:template>
</xsl_default:stylesheet>
</event-xsl-default>
- <event-xsl-endpoint endpoint-type="html-email">
- <xsl_default:stylesheet xmlns="http://www.w3.org/TR/REC-html40"
  xmlns:xsl_default="http://www.w3.org/TR/WD-xsl">
- <xsl_default:template match="/">
  <xsl_default:apply-templates select="EmergencyReach" />
</xsl_default:template>
- <xsl_default:template match="EmergencyReach">
- <HTML>
- <HEAD>
  <TITLE />
</HEAD>
- <BODY>
- <FONT face="arial,helvetica">
- <table cellpadding="0" cellspacing="0" border="0">
- <tr>
- <td>
  
</b>
<BR />
<BR />
<BR />
- <TABLE cellpadding="0" cellspacing="0" border="0">
- <TR>
  <TD>Message title:</TD>
</TR>
- <TR>
- <TD>
- <FONT color="red">
  <xsl_default:value-of
    select="emergencySummary" />
</FONT>
</TD>
</TR>
- <TR>
- <TD>
  <BR />
</TD>
</TR>
- <TR>
```

Figure 7B-2

```
- <TD>
  Message Text:
  <BR />
</TD>
</TR>
- <TR>
- <TD>
  - <FONT color="red">
    <xsl_default:value-of
      select="emergencyDetail" />
  </FONT>
</TD>
</TR>
- <TR>
- <TD>
  <BR />
</TD>
</TR>
- <TR>
- <TD>
  Please contact
  - <FONT color="red">
    <xsl_default:value-of
      select="ContactPerson" />
  </FONT>
</TD>
</TR>
- <TR>
- <TD>
  at:
  - <FONT color="red">
    <xsl_default:value-of
      select="ContactInfo" />
  </FONT>
</TD>
</TR>
</TABLE>
</FONT>
</BODY>
</HTML>
</xsl_default:template>
</xsl_default:stylesheet>
</event-xsl-endpoint>
- <event-xsl-endpoint endpoint-type="browser">
- <xsl_default:stylesheet xmlns="http://www.w3.org/TR/REC-html40"
  xmlns:xsl_default="http://www.w3.org/TR/WD-xsl">
- <xsl_default:template match="/">
  <xsl_default:apply-templates select="EmergencyReach" />
</xsl_default:template>
- <xsl_default:template match="EmergencyReach">
- <HTML>
  <HEAD />
- <BODY>
```

Figure 7B-3

```

- <FONT face="arial,helvetica">
- <table cellpadding="0" cellspacing="0" border="0">
- <tr>
- <td>
- 
- </b>
- <BR />
- <BR />
- <BR />
- <TABLE cellpadding="0" cellspacing="0" border="0">
- <TR>
- <TD>Message title:</TD>
- </TR>
- <TR>
- <TD>
- <FONT color="red">
- <xsl_default:value-of
- <select="emergencySummary" />
- </FONT>
- </TD>
- </TR>
- <TR>
- <TD>
- <BR />
- </TD>
- </TR>
- <TR>
- <TD>
- <Message Text:
- <BR />
- </TD>
- </TR>
- <TR>
- <TD>
- <FONT color="red">
- <xsl_default:value-of
- <select="emergencyDetail" />
- </FONT>
- </TD>
- </TR>
- <TR>
- <TD>
- <BR />
- </TD>

```

Figure 1B-4

```
</TR>
- <TR>
  <TD>Additional Contact Information:</TD>
</TR>
- <TR>
  - <TD>
    - <FONT color="red">
      <xsl_default:value-of
        select="ContactInfo" />
    </FONT>
  </TD>
</TR>
</TABLE>
</FONT>
</BODY>
</HTML>
</xsl_default:template>
</xsl_default:stylesheet>
</event-xsl-endpoint>
</event-class>
- <event-class event-name="Hello" frequency="once" sensitivity="normal"
  reach="individual" content="statement" immediacy="days"
  expiration="days" context="personal">
- <event-payload-schema>
  - <Schema name="payloadschema.xdr" xmlns="urn:schemas-
    microsoft-com:xml-data" xmlns:dt="urn:schemas-microsoft-
    com:datatypes">
    - <ElementType name="SayHello" content="eltOnly" order="seq">
      <element type="from" />
      <element type="shortHello" />
      <element type="longHello" />
    </ElementType>
    <ElementType name="from" content="textOnly" />
    <ElementType name="shortHello" content="textOnly" />
    <ElementType name="longHello" content="textOnly" />
  </Schema>
</event-payload-schema>
- <event-xsl-default>
  - <xsl_default:stylesheet xmlns="http://www.w3.org/TR/REC-html40"
    xmlns:xsl_default="http://www.w3.org/TR/WD-xsl">
  - <xsl_default:template match="/">
    <xsl_default:apply-templates select="SayHello" />
  </xsl_default:template>
  - <xsl_default:template match="SayHello">
    This is a 'Hello' message from
    <xsl_default:value-of select="from" />
    They wanted to say
    <xsl_default:value-of select="shortHello" />
    (More details may have be included in your folio) send a
    SmartMessage at: http://www.centerpost.com/Post/
  </xsl_default:template>
</xsl_default:stylesheet>
</event-xsl-default>
```

Figure 7B-5

```

- <event-xsl-endpoint endpoint-type="html-email">
- <xsl_default:stylesheet xmlns="http://www.w3.org/TR/REC-html40"
  xmlns:xsl_default="http://www.w3.org/TR/WD-xsl">
- <xsl_default:template match="/">
  <xsl_default:apply-templates select="SayHello" />
</xsl_default:template>
- <xsl_default:template match="SayHello">
- <HTML>
- <BODY>
- <FONT face="arial, helvetica">
- <table cellpadding="0" cellspacing="0" border="0">
- <tr>
- <td>
  
</b>
<BR />
<BR />
<BR />
- <TABLE cellpadding="0" cellspacing="0" border="0">
- <TR>
  <TD>They wanted to say</TD>
</TR>
- <TR>
- <TD>
- <FONT color="red">
  <xsl_default:value-of
    select="longHello" />
</FONT>
</TD>
</TR>
- <TR>
- <TD>
  <BR />
</TD>
</TR>
</TABLE>
</FONT>
</BODY>
</HTML>
</xsl_default:template>
</xsl_default:stylesheet>
</event-xsl-endpoint>
- <event-xsl-endpoint endpoint-type="browser">
- <xsl_default:stylesheet xmlns="http://www.w3.org/TR/REC-html40"

```

Figure 7B-6

```

xmlns:xsl_default="http://www.w3.org/TR/WD-xsl">
- <xsl_default:template match="/">
  <xsl_default:apply-templates select="EmergencyReach" />
</xsl_default:template>
- <xsl_default:template match="EmergencyReach">
  - <HTML>
    - <BODY>
      - <FONT face="arial,helvetica">
        - <table cellpadding="0" cellspacing="0" border="0">
          - <tr>
            - <td>
              
        </b>
        <BR />
        <BR />
        <BR />
      - <TABLE cellpadding="0" cellspacing="0" border="0">
        - <TR>
          <TD>They wanted to say</TD>
        </TR>
        - <TR>
          - <TD>
            - <FONT color="red">
              <xsl_default:value-of
                select="longHello" />
            </FONT>
          </TD>
        </TR>
        - <TR>
          - <TD>
            <BR />
          </TD>
        </TR>
      </TABLE>
    </FONT>
  </BODY>
</HTML>
</xsl_default:template>
</xsl_default:stylesheet>
</event-xsl-endpoint>
</event-class>
</activity-class>
- <activity-class activity-name="Announcements" activity-duration="ongoing" event-
  frequency="monthly">

```

Figure 7B-7

```
- <activity-xsl-default>
  <xsl_default:stylesheet xmlns="http://www.w3.org/TR/REC-html40"
    xmlns:xsl_default="http://www.w3.org/TR/WD-xsl" />
</activity-xsl-default>
- <event-class event-name="Welcome" frequency="once" sensitivity="normal"
  reach="individual" content="statement" immediacy="days"
  expiration="days" context="personal">
- <event-payload-schema>
  - <Schema name="payloadschema.xdr" xmlns="urn:schemas-
    microsoft-com:xml-data" xmlns:dt="urn:schemas-microsoft-
    com:datatypes">
    - <ElementType name="Welcome" content="eltOnly" order="seq">
      <element type="EndpointName" />
      <element type="Message" />
    </ElementType>
    <ElementType name="EndpointName" content="textOnly" />
    <ElementType name="Message" content="textOnly" />
  </Schema>
</event-payload-schema>
- <event-xsl-default>
  - <xsl_default:stylesheet xmlns="http://www.w3.org/TR/REC-html40"
    xmlns:xsl_default="http://www.w3.org/TR/WD-xsl">
    - <xsl_default:template match="/">
      <xsl_default:apply-templates select="Announcements" />
    </xsl_default:template>
    <xsl_default:template match="Announcements">Welcome To
      Centerpost! Congratulations, you've just received your first
      smart message. This test message was sent to all of your
      endpoints</xsl_default:template>
  </xsl_default:stylesheet>
</event-xsl-default>
- <event-xsl-endpoint endpoint-type="html-email">
  - <xsl_default:stylesheet xmlns="http://www.w3.org/TR/REC-html40"
    xmlns:xsl_default="http://www.w3.org/TR/WD-xsl">
    - <xsl_default:template match="/">
      <xsl_default:apply-templates select="Announcements" />
    </xsl_default:template>
    - <xsl_default:template match="Announcements">
      - <html>
        - <head>
          <title />
        </head>
        - <body>
          - <table cellpadding="0" cellspacing="0" border="0">
            - <tr>
              - <td>
                
            </tr>
          </table>
          <br />
          - <font face="arial,helvetica" size="5" color="red">
```

Figure 7B-8


```
<b>Welcome to centerpost!</b>
</font>
<br />
<br />
- <font face="arial,helvetica">
  Congratulations, you've just received your first
  smart message.
  <br />
  This test message was sent to all of your
  endpoints
  <br />
  <br />
  You can start sending your own SmartMessages,
  and learn more
  <br />
  about your account at the
  <a
    href="http://www.centerpost.com/postm/pmsg1.asp">Centerpost
    web page</a>
  <br />
</font>
</body>
</html>
- </xsl_default:template>
- </xsl_default:stylesheet>
</event-xsl-endpoint>
- <event-xsl-endpoint endpoint-type="browser">
- <xsl_default:stylesheet xmlns="http://www.w3.org/TR/REC-html40"
  xmlns:xsl_default="http://www.w3.org/TR/WD-xsl">
- <xsl_default:template match="/">
  <xsl_default:apply-templates select="Announcements" />
</xsl_default:template>
- <xsl_default:template match="Announcements">
- <html>
- <head>
  <title />
</head>
- <body>
- <table cellpadding="0" cellspacing="0" border="0">
- <tr>
- <td>
  
</tr>
</table>
<br />
- <font face="arial,helvetica" size="5" color="red">
  <b>Welcome to centerpost!</b>
</font>
<br />
<br />
- <font face="arial,helvetica">
```

Figure 7B-9

**Congratulations, you've just received your first
smart message.**

**This test message was sent to all of your
endpoints**

**You can start sending your own SmartMessages,
and learn more**

about your account at the

Centerpost
web page

</body>

</html>

</xsl_default:template>

</xsl_default:stylesheet>

</event-xsl-endpoint>

</event-class>

</activity-class>

</smSmartMessageStylesheet>

© 2000 Centerpost Corp.

Figure 7B-10

Receipt SmartMessage Stylesheet

```
<smSmartMessageStylesheet
  xmlns="x-schema:http://sm.smartmessage.org/schemas/stylesheet/smSmartMessage/v1-1.xdr"
  smartmessage-stylesheet-class="http://sm.smartmessage.org/stylesheet/receipts/"
  smartmessage-stylesheet-version="v1-0.xml">

  <activity-class
    activity-name="Receipts"
    activity-duration="ongoing"
    event-frequency="once">

    <activity-xsl-default>
      <xsl_default:stylesheet xmlns="http://www.w3.org/TR/REC-html40"
        xmlns:xsl_default="http://www.w3.org/TR/WD-xsl">
        <xsl_default:template match="/" />
      </xsl_default:stylesheet>
    </activity-xsl-default>

    <event-class
      event-name="DeliveryStatus"
      purpose="information"
      sensitivity="normal"
      reach="individual"
      immediacy="days"
      frequency="daily"
      category="system">

      <event-payload-schema>
        <Schema name="deliverystatusreceipt.xdr"
          xmlns="urn:schemas-microsoft-com:xml-data"
          xmlns:dt="urn:schemas-microsoft-com:datatypes">
          <ElementType name="receipt" content="eltOnly" order="seq">
            <AttributeType name="receipt-event" dt:type="enumeration"
              dt:values="delivery-status" default="delivery-status"/>
            <AttributeType name="receipt-type" dt:type="enumeration"
              dt:values="ack nak retry" default="nak"/>
            <AttributeType name="receipt-date" dt:type="dateTime"
              required="yes"/>
            <AttributeType name="smartmessage-id" dt:type="string"
              required="yes"/>
            <AttributeType name="to-address" dt:type="string" required="yes"/>
            <AttributeType name="endpoint-type" dt:type="enumeration"
              dt:values="browser html-email text-email tiny-email fax
              voice-phone instant-message" required="yes"/>
            <AttributeType name="endpoint-address" dt:type="string"
              required="yes"/>
            <AttributeType name="last-attempt-date" dt:type="dateTime"
              required="yes"/>
            <AttributeType name="will-retry-attempt" dt:type="int"
              required="yes"/>
            <AttributeType name="will-retry-until" dt:type="dateTime"
              required="yes"/>
            <AttributeType name="next-retry-attempt" dt:type="dateTime"
              required="yes"/>
            <attribute type="receipt-event"/>
            <attribute type="receipt-type"/>
            <attribute type="receipt-date"/>
            <attribute type="smartmessage-id"/>
            <attribute type="to-address"/>
            <attribute type="endpoint-type"/>
            <attribute type="endpoint-address"/>
            <attribute type="last-attempt-date"/>
            <attribute type="will-retry-attempt"/>
            <attribute type="will-retry-until"/>
            <attribute type="next-retry-attempt"/>
            <element type="error-info" minOccurs="0" maxOccurs="1"/>
            <element type="extended-info" minOccurs="0" maxOccurs="1"/>
          </ElementType>
          <ElementType name="error-info" content="eltOnly" order="seq">
```

Figure 9 A

```

        <AttributeType name="error-class" dt:type="enumeration"
            dt:values="http https smtp smime platform-specific"
            default="smtp" required="yes"/>
        <AttributeType name="error-code" dt:type="string" required="yes"/>
        <AttributeType name="error-description" dt:type="string"
            required="yes"/>
        <attribute type="error-class"/>
        <attribute type="error-code"/>
        <attribute type="error-description"/>
    </ElementType>
    <ElementType name="extended-info" content="eltOnly" order="seq"/>
</Schema>
</event-payload-schema>
<event-xsl-default>
    <xsl_default:stylesheet xmlns="http://www.w3.org/TR/REC-html40"
        xmlns:xsl_default="http://www.w3.org/TR/WD-xsl">
        <xsl_default:template match="/">
            <xsl_default:apply-templates select="receipt"/>
        </xsl_default:template>
        <xsl_default:template match="receipt">
Receipt Item
    receipt-event:    <xsl_default:value-of select="@receipt-event"/>
    receipt-type:     <xsl_default:value-of select="@receipt-type"/>
    receipt-date:     <xsl_default:value-of select="@receipt-date"/>
    smartmessage-id:  <xsl_default:value-of select="@smartmessage-id"/>
    to-address:       <xsl_default:value-of select="@to-address"/>
    endpoint-type:    <xsl_default:value-of select="@endpoint-type"/>
    endpoint-address: <xsl_default:value-of select="@endpoint-address"/>
    last-attempt-date: <xsl_default:value-of select="@last-attempt-date"/>
    will-retry-attempt: <xsl_default:value-of select="@will-retry-attempt"/>
    will-retry-until: <xsl_default:value-of select="@will-retry-until"/>
    next-retry-attempt: <xsl_default:value-of select="@next-retry-attempt"/>
    error-class:      <xsl_default:value-of select="error-info/@error-class"/>
    error-code:       <xsl_default:value-of select="error-info/@error-code"/>
    error-description: <xsl_default:value-of select="error-info/@error-description"/>
Receipt Specific Data:
    <xsl_default:value-of select="extended-info"/>
    </xsl_default:template>
    </xsl_default:stylesheet>
</event-xsl-default>
</event-class>

<event-class
    event-name="Received"
    purpose="information"
    sensitivity="normal"
    reach="individual"
    immediacy="days"
    frequency="once"
    category="miscellaneous">

<event-payload-schema>
    <Schema name="receivedreceipt.xdr"
        xmlns="urn:schemas-microsoft-com:xml-data"
        xmlns:dt="urn:schemas-microsoft-com:datatypes">
        <ElementType name="receipt" content="eltOnly" order="seq">
            <AttributeType name="receipt-event" dt:type="enumeration"
                dt:values="received" default="received"/>
            <AttributeType name="receipt-type" dt:type="enumeration"
                dt:values="ack nak" default="nak"/>
            <AttributeType name="receipt-date" dt:type="dateTime"
                required="yes"/>
            <AttributeType name="smartmessage-id" dt:type="string"
                required="yes"/>
            <AttributeType name="to-address" dt:type="string" required="yes"/>
            <AttributeType name="error-code" dt:type="string" required="no"/>
            <AttributeType name="error-description" dt:type="string"
                required="no"/>
            <attribute type="receipt-event"/>
            <attribute type="receipt-type"/>

```

```

<attribute type="receipt-date"/>
<attribute type="smartmessage-id"/>
<attribute type="to-address"/>
<element type="error-info" minOccurs="0" maxOccurs="1"/>
<element type="extended-info" minOccurs="0" maxOccurs="1"/>
</ElementType>
<ElementType name="error-info" content="eltOnly" order="seq">
  <AttributeType name="error-class" dt:type="enumeration"
    dt:values="http https smtp smime platform-specific"
    default="smtp" required="yes"/>
  <AttributeType name="error-code" dt:type="string" required="yes"/>
  <AttributeType name="error-description" dt:type="string"
    required="yes"/>
  <attribute type="error-class"/>
  <attribute type="error-code"/>
  <attribute type="error-description"/>
</ElementType>
<ElementType name="extended-info" content="eltOnly" order="seq"/>
</Schema>
</event-payload-schema>
<event-xsl-default>
  <xsl_default:stylesheet xmlns="http://www.w3.org/TR/REC-html40"
    xmlns:xsl_default="http://www.w3.org/TR/WD-xsl">
    <xsl_default:template match="/">
      <xsl_default:apply-templates select="receipt"/>
    </xsl_default:template>
    <xsl_default:template match="receipt">
      Receipt Item
      receipt-event:      <xsl_default:value-of select="@receipt-event"/>
      receipt-type:      <xsl_default:value-of select="@receipt-type"/>
      receipt-date:      <xsl_default:value-of select="@receipt-date"/>
      smartmessage-id:   <xsl_default:value-of select="@smartmessage-id"/>
      to-address:        <xsl_default:value-of select="@to-address"/>
      error-class:       <xsl_default:value-of select="error-info/@error-class"/>
      error-code:        <xsl_default:value-of select="error-info/@error-code"/>
      error-description: <xsl_default:value-of select="error-info/@error-description"/>
      Receipt Specific Data:
      <xsl_default:value-of select="extended-info"/>
    </xsl_default:template>
  </xsl_default:stylesheet>
</event-xsl-default>
</event-class>
<event-class
  event-name="Processed"
  purpose="information"
  sensitivity="normal"
  reach="individual"
  immediacy="days"
  frequency="once"
  category="miscellaneous">
  <event-payload-schema>
    <Schema name="processedreceipt.xdr"
      xmlns="urn:schemas-microsoft-com:xml-data"
      xmlns:dt="urn:schemas-microsoft-com:datatypes">
      <ElementType name="receipt" content="eltOnly" order="seq">
        <AttributeType name="receipt-event" dt:type="enumeration"
          dt:values="processed" default="processed"/>
        <AttributeType name="receipt-type" dt:type="enumeration"
          dt:values="ack nak" default="nak"/>
        <AttributeType name="receipt-date" dt:type="dateTime"
          required="yes"/>
        <AttributeType name="smartmessage-id" dt:type="string"
          required="yes"/>
        <AttributeType name="to-address" dt:type="string" required="yes"/>
        <AttributeType name="error-code" dt:type="string" required="no"/>
        <AttributeType name="error-description" dt:type="string"
          required="no"/>
        <attribute type="receipt-event"/>

```

```
<attribute type="receipt-type"/>
<attribute type="receipt-date"/>
<attribute type="smartmessage-id"/>
<attribute type="to-address"/>
<element type="error-info" minOccurs="0" maxOccurs="1"/>
<element type="extended-info" minOccurs="0" maxOccurs="1"/>
</ElementType>
<ElementType name="error-info" content="eltOnly" order="seq">
  <AttributeType name="error-class" dt:type="enumeration"
    dt:values="http https smtp smime platform-specific"
    default="smtp" required="yes"/>
  <AttributeType name="error-code" dt:type="string" required="yes"/>
  <AttributeType name="error-description" dt:type="string"
    required="yes"/>
  <attribute type="error-class"/>
  <attribute type="error-code"/>
  <attribute type="error-description"/>
</ElementType>
<ElementType name="extended-info" content="eltOnly" order="seq"/>
</Schema>
</event-payload-schema>
<event-xsl-default>
  <xsl_default:stylesheet xmlns="http://www.w3.org/TR/REC-html40"
    xmlns:xsl_default="http://www.w3.org/TR/WD-xsl">
    <xsl_default:template match="/">
      <xsl_default:apply-templates select="receipt"/>
    </xsl_default:template>
    <xsl_default:template match="receipt">
      Receipt Item
      receipt-event:      <xsl_default:value-of select="@receipt-event"/>
      receipt-type:       <xsl_default:value-of select="@receipt-type"/>
      receipt-date:       <xsl_default:value-of select="@receipt-date"/>
      smartmessage-id:    <xsl_default:value-of select="@smartmessage-id"/>
      to-address:         <xsl_default:value-of select="@to-address"/>
      error-class:        <xsl_default:value-of select="error-info/@error-class"/>
      error-code:         <xsl_default:value-of select="error-info/@error-code"/>
      error-description:  <xsl_default:value-of select="error-info/@error-description"/>
      Receipt Specific Data:
        <xsl_default:value-of select="extended-info"/>
      </xsl_default:template>
    </xsl_default:stylesheet>
  </event-xsl-default>
</event-class>
</activity-class>
</smSmartMessageStylesheet>
```